arXiv:1603.06976v1 [math.CO] 22 Mar 2016

A new series of large sets of subspace designs over the binary field

Michael Kiermaier, Reinhard Laue, Alfred Wassermann
Mathematisches Institut, University of Bayreuth
D-95440 Bayreuth, Germany
{michael.kiermaier, reinhard.laue, alfred.wassermann}@uni-bayreuth.de

March 24, 2016

In this article, we show the existence of large sets $\mathrm{LS}_2[3](2,k,v)$ for infinitely many values of k and v. The exact condition is $v \geq 8$ and $0 \leq k \leq v$ such that for the remainders $\bar{v}$ and $\bar{k}$ of v and k modulo 6 we have $2 \leq \bar{v} < \bar{k} \leq 5$.

The proof is constructive and consists of two parts. First, we give a computer construction for an $\mathrm{LS}_2[3](2,4,8)$, which is a partition of the set of all 4-dimensional subspaces of an 8-dimensional vector space over the binary field into three disjoint 2-$(8,4,217)_2$ subspace designs. Together with the already known $\mathrm{LS}_2[3](2,3,8)$, the application of a recursion method based on a decomposition of the Graßmannian into joins yields a construction for the claimed large sets.

1 Introduction

Let V be a vector space of dimension v over a finite field $\mathrm{GF}(q)$. For simplicity, a subspace of V of dimension k will be called an *k-subspace*. A *(simple) t-$(v,k,\lambda)_q$ subspace design* $\mathcal{D} = (V, \mathcal{B})$ consists of a set $\mathcal{B}$ of k-subspaces of V, called blocks, such that each t-subspace of V lies in exactly λ blocks. This notion is a vector space analog of combinatorial t-designs on finite sets. For that reason, subspace designs are also called *q-analogs of designs*. Further names found in the literature include *designs over finite fields*, *designs in vector spaces* and *designs in the q-Johnson scheme*.

While combinatorial t-designs and Steiner systems have been studied since the 1830s and have a rich literature [12], the notion of subspace designs has been introduced by Cameron [9, 10] and Delsarte [13] in the 1970s.

The set of all k-subspaces of V is always a design, called trivial design. In 1987, Thomas [26] constructed the first non-trivial subspace design for $t = 2$. Since then, more subspace designs have been constructed, see [6, 7, 8, 16, 18, 22, 24, 25].

A partition of the trivial design into N disjoint t-$(v, k, \lambda)_q$ designs is called *large set* and denoted by $\mathrm{LS}_q[N](t, k, v)$. The value λ is omitted in the parameter notation of a large set as $\lambda = \begin{bmatrix} v-t \\ k-t \end{bmatrix}_q$ is already determined by the other parameters.

For ordinary combinatorial t-designs, large sets with $t = 1$ exist if and only if k divides v [3]. In the q-analog case, this question is wide open, as it includes the question for the existence of parallelisms in projective geometries: A large set of 1-$(v, k, 1)_q$ designs (which are called *spreads*) is known as a $(k-1)$-*parallelism* of the projective geometry $\mathrm{PG}(v-1, q)$. To our knowledge, the only known existence results are the following: If $v \geq 2$ is a power of 2, then all 1-parallelisms do exist [14, 4]. Furthermore, for $q = 2$ and v even, all 1-parallelisms do exist [2, 27]. In [15], a 1-parallelism of $\mathrm{PG}(5, 3)$ is given. The only known parallelism with $k > 1$ is a 2-parallelism of $\mathrm{PG}(5, 2)$ [23].

For $t \geq 2$, only the following large sets of subspace designs are known: There are computational constructions of an $\mathrm{LS}_3[2](2, 3, 6)$ [5], an $\mathrm{LS}_2[3](2, 3, 8)$ [8] and an $\mathrm{LS}_5[2](2, 3, 6)$ [7]. In [7], a recursive construction method was developed, which can be seen as a q-analog of the theory in [1], surveyed in [17]. The application of this method to the $\mathrm{LS}_3[2](2, 3, 6)$ and $\mathrm{LS}_5[2](2, 3, 6)$ gave an infinite series of large sets $\mathrm{LS}_q(2, k, v)$ with $q \in \{3, 5\}$, $v \geq 6$, $v \equiv 2 \pmod 4$, and $3 \leq k \leq v-3$, $k \equiv 3 \pmod 4$.

In this paper, we give a computational construction of an $\mathrm{LS}_2[3](2, 4, 8)$. The application of the recursion machinery of [7] to this large set and the already known $\mathrm{LS}_2[3](2, 3, 8)$ yields a new infinite series of large sets of subspace designs:

Theorem 1. *Let v and k be integers with $v \geq 8$ and $0 \leq k \leq v$ such that*

(i) $v \equiv 2 \bmod 6$ *and* $k \equiv 3, 4, 5 \bmod 6$ *or*

(ii) $v \equiv 3 \bmod 6$ *and* $k \equiv 4, 5 \bmod 6$ *or*

(iii) $v \equiv 4 \bmod 6$ *and* $k \equiv 5 \bmod 6$.

Then there exists an $\mathrm{LS}_2[3](2, k, v)$.

Denoting the remainder of an integer n modulo 6 by $\bar{n} \in \{0, \ldots, 5\}$, the conditions of Theorem 1 (i), (ii) and (iii) can be stated as $2 \leq \bar{v} < \bar{k} \leq 5$.

2 Preliminaries

The set of all k-subspaces of V is called the *Graßmannian* and is denoted by $\begin{bmatrix} V \\ k \end{bmatrix}_q$. Our focus lies on the case $q = 2$, where the 1-subspaces $\langle \mathbf{x} \rangle_{\mathrm{GF}(2)} \in \begin{bmatrix} V \\ 1 \end{bmatrix}_2$ are in one-to-one correspondence with the nonzero vectors $\mathbf{x} \in V \setminus \{\mathbf{0}\}$. The number of all k-subspaces of V is given by the Gaussian binomial coefficient

$$\#\begin{bmatrix} V \\ k \end{bmatrix}_q = \begin{bmatrix} v \\ k \end{bmatrix}_q = \begin{cases} \frac{(q^v-1)\cdots(q^{v-k+1}-1)}{(q^k-1)\cdots(q-1)} & \text{if } k \in \{0, \ldots, v\}; \\ 0 & \text{else.} \end{cases}$$

The set $\mathcal{L}(V)$ of all subspaces of V forms the subspace lattice of V.

By the fundamental theorem of projective geometry, for $v \neq 2$ the automorphism group of $\mathcal{L}(V)$ is given by the natural action of $\mathrm{P\Gamma L}(V)$ on $\mathcal{L}(V)$. The *automorphism group* $\mathrm{Aut}(D)$ of a subspace design $D = (V, \mathcal{B})$ is defined as the stabilizer of $\mathcal{B}$ under this group action. Furthermore, for any subgroup $G \leq \mathrm{P\Gamma L}(V)$ we say that D is *G-invariant* if $D^G = D$ or equivalently, $G \leq \mathrm{Aut}(D)$. In the case that q is prime, the group $\mathrm{P\Gamma L}(V)$ reduces to $\mathrm{PGL}(V)$, and for the case of our interest $q = 2$, it reduces further to $\mathrm{GL}(V)$. After a choice of a basis of V, its elements are represented by the invertible $v \times v$ matrices A, and the action on $\mathcal{L}(V)$ is given by the vector-matrix-multiplication $\mathbf{v} \mapsto \mathbf{v}A$.

As t-design, the trivial design $(V, \begin{bmatrix} V \\ k \end{bmatrix}_q)$ has parameters t-$(v, k, \lambda_{\max})_q$, where

$$\lambda_{\max} = \begin{bmatrix} v-t \\ k-t \end{bmatrix}_q.$$

Hence, an obvious necessary condition for the existence of an $\mathrm{LS}_q[N](t, k, v)$ is the equality $\lambda \cdot N = \lambda_{\max}$. Moreover, since the blocks of a t-design also form an i-design for $i \in \{0, \ldots, t\}$, we have the necessary conditions

$$N \mid \begin{bmatrix} v-i \\ k-i \end{bmatrix}_q \quad \text{for } i \in \{0, \ldots, t\}.$$

A parameter set $\mathrm{LS}_q[N](t, k, v)$ is called *admissible* if all the necessary conditions are fulfilled. If moreover an $\mathrm{LS}_q[N](t, k, v)$ actually exists, the parameter set is called *realizable*. In the following, it proves useful to extend the parameters to the value $t = -1$ by unconditionally accepting all the large set parameters of the form $\mathrm{LS}_q[N](-1, k, v)$ as admissible and realizable.

By [18, Cor. 19], the existence of some $\mathrm{LS}_q[N](t, k, v)$ with $t \geq 1$ implies the existence of *derived large sets* $\mathrm{LS}_q[N](t-1, k-1, v-1)$, *residual large sets* $\mathrm{LS}_q[N](t-1, k, v-1)$ and the *dual large set* $\mathrm{LS}_q[N](t, v-k, v)$. Furthermore, the existence of $\mathrm{LS}_q[N](t, k-1, v-1)$ and $\mathrm{LS}_q[N](t, k, v-1)$ implies the existence of an $\mathrm{LS}_q[N](t, k, v)$ [18, Cor. 20].

The following theory is needed for the recursive construction of large sets. For more details and proofs, see [7].

Two subsets $\mathcal{B}_1$ and $\mathcal{B}_2$ of $\begin{bmatrix} V \\ k \end{bmatrix}_q$ are called *t-equivalent* if

$$\#\{B \in \mathcal{B}_1 \mid T \leq B\} = \#\{B \in \mathcal{B}_2 \mid T \leq B\}$$

for all t-subspaces T of V. In this situation, the pair $(\mathcal{B}_1, \mathcal{B}_2)$ has also been called *trade* or *bitrade*, see for example [20, 21] for some recent results. Furthermore, given integers $0 \leq t \leq k \leq v$, $N \geq 2$ and a set $\mathcal{B}$ of k-subspaces of V, a partition $\{\mathcal{B}_1, \ldots, \mathcal{B}_N\}$ of $\mathcal{B}$ is called an *(N, t)-partition*, if the parts $\mathcal{B}_i$ are pairwise t-equivalent. The notion of (N, t)-partitions can be seen as a generalization of large sets, as by [7, Lemma 4.8], $(V, \{\mathcal{B}_1, \ldots, \mathcal{B}_N\})$ is an $\mathrm{LS}_q[N](t, k, v)$ if and only if $\{\mathcal{B}_1, \ldots, \mathcal{B}_N\}$ is an (N, t)-partition of $\begin{bmatrix} V \\ k \end{bmatrix}_q$.

A set $\mathcal{B}$ of k-subspaces is called *(N, t)-partitionable* if there exists an (N, t)-partition of $\mathcal{B}$. Again, the notion is extended to $t = -1$ by unconditionally calling any set

of k-subspaces of V $(N,-1)$-*partitionable*. We have the following structure properties: If $\mathcal{B}$ is (N,t)-partitionable, it is (N,s)-partitionable for all $s \in \{-1,\dots,t\}$ [7, Lemma 4.3]. The disjoint union of (N,t)-partitionable sets is again (N,t)-partitionable [7, Lemma 4.7]. Therefore, we can construct an $\mathrm{LS}_q[N](t,k,v)$ by decomposing $\begin{bmatrix} V \\ k \end{bmatrix}_q$ into (N,t)-partitionable sets.

The known constructions of large sets of classical combinatorial designs and subspace designs often rely on a decomposition into so-called joins. In [7], three kinds of joins are provided. For our purpose, we only need one of them: For a chain of subspaces $K_1 \leq U_1 \leq U_2 \leq K_2 \leq V$, the *avoiding join* of K_1 and K_2 with respect to the factor space $F = U_2/U_1$ is given by

$$K_1 *_{\bar{F}} K_2/U_2 = \{K \in \mathcal{L}(V) \mid U_1 \cap K = K_1, U_2 + K = K_2, U_1 \cap K = U_2 \cap K\}.$$

By [7, Lemma 3.7], $K_1 *_{\bar{F}} K_2/U_2$ consists of $q^{(\dim(U_1)-\dim(K_1))(\dim(K_2)-\dim(U_1))}$ subspaces of V of dimension $k_1 + k_2 - u_1$. The definition is extended to sets $\mathcal{B}^{(1)} \subseteq \begin{bmatrix} U_1 \\ k_1 \end{bmatrix}_q$ and $\mathcal{B}^{(2)} \subseteq \begin{bmatrix} V/U_2 \\ \bar{k}_2 \end{bmatrix}_q$ of subspaces by setting

$$\mathcal{B}^{(1)} * \mathcal{B}^{(2)} = \bigcup_{\substack{B^{(1)} \in \mathcal{B}^{(1)} \\ B^{(2)} \in \mathcal{B}^{(2)}}} B^{(1)} * B^{(2)}.$$

The power of the join for the construction of (N,t)-partitionable sets is rooted in the following lemma. In [7, Lemma 4.10] it is stated and proven for all three kinds of joins.

Lemma 2.1 (Basic Lemma for the avoiding join). *Let $U_1 \leq U_2 \leq V$ be a chain of subspaces, $k_1 \in \{0,\dots,\dim(U_1)\}$, $\bar{k}_2 \in \{0,\dots,\dim(V/U_2)\}$ and N a positive integer. If $\mathcal{B}^{(1)} \subseteq \begin{bmatrix} U_1 \\ k_1 \end{bmatrix}_q$ is (N,t_1)-partitionable and $\mathcal{B}^{(2)} \subseteq \begin{bmatrix} V/U_2 \\ \bar{k}_2 \end{bmatrix}_q$ is (N,t_2)-partitionable with integers $t_1, t_2 \geq -1$, then the avoiding join $\mathcal{B}^{(1)} *_{\overline{U_2/U_1}} \mathcal{B}^{(2)}$ is (N, t_1+t_2+1)-partitionable.*

By [7, Theorem 3.19], for a maximal chain

$$\{\mathbf{0}\} = U_0 < U_1 < \ldots < U_v = V$$

of subspaces and $s \in \{0,\dots,v-k-1\}$, a partition of $\begin{bmatrix} V \\ k \end{bmatrix}_q$ into avoiding joins is given by the disjoint union

$$\begin{bmatrix} V \\ k \end{bmatrix}_q = \bigcup_{i=0}^{k} \begin{bmatrix} U_{s+i} \\ i \end{bmatrix}_q *_{\overline{U_{s+i+1}/U_{s+i}}} \begin{bmatrix} V/U_{s+i+1} \\ k-i \end{bmatrix}_q.$$

For the construction of large sets, only the dimensions of the involved Graßmannians are relevant. Reducing the notation to this information, we say that the above decomposition has the *decomposition type*

$$\begin{bmatrix} v \\ k \end{bmatrix} = \bigcup_{i=0}^{k} \begin{bmatrix} s+i \\ i \end{bmatrix} * \begin{bmatrix} v-s-i-1 \\ k-i \end{bmatrix}.$$

By the above discussion, the application of the Basic Lemma 2.1 to this decomposition yields

Proposition 2.2. *Let $0 \le t \le k \le v$, $N \ge 2$ and $s \in \{0, \dots, v-k-1\}$ be integers. If for each $i \in \{0, \dots, k\}$ there are integers $t_1, t_2 \ge -1$ with $t_1 + t_2 + 1 \ge t$ such that $\mathrm{LS}_q[N](t_1, i, s+i)$ and $\mathrm{LS}_q[N](t_2, k-i, v-s-i-1)$ both are realizable, then $\mathrm{LS}_q[N](t, k, v)$ is realizable.*

We remark that the proof of the Basic Lemma in [7] is constructive, implying that the statement of Proposition 2.2 is constructive, too.

3 The method of Kramer and Mesner

Fixing a subgroup G of $\mathrm{P\Gamma L}(V)$, the following idea can be used for the construction of G-invariant t-$(v,k,\lambda)_q$ designs [19, 22, 6]: The action of G induces partitions $\begin{bmatrix} V \\ t \end{bmatrix}_q = \bigcup_{i=1}^{\tau} \mathcal{T}_i$ and $\begin{bmatrix} V \\ k \end{bmatrix}_q = \bigcup_{j=1}^{\kappa} \mathcal{K}_j$ into orbits. Any G-invariant subspace design will have the form $(V, \mathcal{B})$ with $\mathcal{B} = \bigcup_{j \in J} \mathcal{K}_j$ and $J \subseteq \{1, \dots, \kappa\}$. In this way, an index set $J \subseteq \{1, \dots, \kappa\}$ gives a t-$(v,k,\lambda)_q$ design if and only if its characteristic vector $\chi_J \in \{0,1\}^\kappa$ is a solution of the system of linear integer equations

$$A^G_{t,k} \chi_J = \lambda \mathbf{1},$$

where $\mathbf{1}$ is the all-one vector and $A^G_{t,k} = (a_{ij})$ is the $(\kappa \times \tau)$-matrix with the entries

$$a_{ij} = \#\{K \in \mathcal{K}_j \mid T_i \le K\}.$$

Here, $T_i \in \mathcal{T}_i$ denotes a set of orbit representatives. The matrix $A^G_{t,k}$ is called *G-incidence matrix*.

For the construction of large sets, we iterate this method as in [8]: After finding a solution χ_J, we remove all the columns from $A^G_{t,k}$ having an index $j \in J$. Now the solutions of the reduced system give precisely the G-invariant subspace designs which are disjoint to D. If we succeed in repeating the process until all G-orbits $\mathcal{K}_j$ are covered, we have constructed a large set consisting of t-$(v,k,\lambda)_q$ designs. The same approach has been used by Chee et al [11] to construct large sets of designs over sets.

4 An $\mathrm{LS}_2[3](2,4,8)$

A $\mathrm{LS}_2[3](2,4,8)$ consists of three mutually disjoint 2-$(8,4,217)_2$ designs. It is worth noting that up to now, even the existence of a single design with these parameters was open.

We succeeded in the construction of an $\mathrm{LS}_2[3](2,4,8)$ by the Kramer-Mesner method described above. For that purpose, we take the 8-dimensional $\mathrm{GF}(2)$ vector space $V = \mathrm{GF}(2^8)$ and prescribe the group $G = \langle \sigma^5, \phi^2 \rangle$ of order 204, where $\sigma : x \mapsto x\alpha$ with a primitive element α of $\mathrm{GF}(2^8)$ is a Singer cycle and $\phi : x \mapsto x^2$ is the Frobenius automorphism. After the choice of a suitable basis of V, the generators can be written

as

$$\sigma^5 = \begin{pmatrix} 0&0&0&0&0&1&0&0\\ 0&0&0&0&0&0&1&0\\ 0&0&0&0&0&0&0&1\\ 1&0&1&1&1&0&0&0\\ 0&1&0&1&1&1&0&0\\ 0&0&1&0&1&1&1&0\\ 0&0&0&1&0&1&1&1\\ 1&0&1&1&0&0&1&1 \end{pmatrix} \quad \text{and} \quad \phi^2 = \begin{pmatrix} 1&0&0&0&0&0&0&0\\ 0&0&0&0&1&0&0&0\\ 1&0&1&1&1&0&0&0\\ 1&0&1&1&0&0&1&1\\ 0&0&1&1&0&0&1&0\\ 0&0&1&0&1&1&0&1\\ 1&1&1&1&0&0&0&1\\ 0&0&0&1&1&0&0&0 \end{pmatrix}.$$

In Tables 1, 2, and 3 we list the orbit representatives for the three mutually disjoint designs $\mathcal{D}_1$, $\mathcal{D}_2$, and $\mathcal{D}_3$ we found, using the same encoding as in [8]. For each representative, the four row vectors

$$\begin{bmatrix} w_0 & w_1 & \dots & w_7 \\ x_0 & x_1 & \dots & x_7 \\ y_0 & y_1 & \dots & y_7 \\ z_0 & z_1 & \dots & z_7 \end{bmatrix}$$

spanning a 3-subspace of V, are encoded as a quadruple of positive integers

$$[W, X, Y, Z] = \left[\sum_{i=0}^{7} w_i 2^i, \sum_{i=0}^{7} x_i 2^i, \sum_{i=0}^{7} y_i 2^i, \sum_{i=0}^{7} z_i 2^i\right].$$

5 An infinite series of large sets

Now we are ready to proof our main result.

Proof of Theorem 1. We proceed by induction on v. For $v = 8$, an $\mathrm{LS}_2[3](2, 4, 8)$ was constructed above. In [8], an $\mathrm{LS}_2[3](2, 3, 8)$ was constructed, and its dual large set is an $\mathrm{LS}_2[3](2, 5, 8)$. The repeated application of [18, Cor. 20] yields the existence of $\mathrm{LS}_2[3](2, 4, 9)$, $\mathrm{LS}_2[3](2, 5, 9)$ and $\mathrm{LS}_2[3](2, 5, 10)$.

It remains to consider $v \geq 14$. By duality, we may assume $k \leq \frac{v}{2}$. By $v - k - 1 \geq \frac{v}{2} - 1 \geq 6$ and the realizability statements of Table 4, the existence of an $\mathrm{LS}_2[3](2, k, v)$ follows from the application of Proposition 2.2 with $s = 5$.

It remains to show the correctness of Table 4. For all $i \equiv 3, 4, 5 \bmod 6$, there exists an $\mathrm{LS}_2[3](2, i, 5 + i)$ by the induction hypothesis. By taking a derived large set, we see that for $i \equiv 2 \bmod 6$, there exists an $\mathrm{LS}_2[3](1, i, 5 + i)$ and for $i \equiv 1 \bmod 6$, there exists an $\mathrm{LS}_2[3](0, i, 5 + i)$. Similarly, for $i \equiv 0 \bmod 6$, we have an $\mathrm{LS}_2[3](2, k - i, v - 6 - i)$ by the induction hypothesis. By derived large sets, for $i \equiv 5 \bmod 6$ there exists an $\mathrm{LS}_2[3](1, k - i, v - 6 - i)$, and for $i \equiv 4 \bmod 6$ there exists an $\mathrm{LS}_2[3](0, k - i, v - 6 - i)$. □

Table 1: 2-$(8, 4, 217; 2)$ design $\mathcal{B}_1$

[1, 34, 40, 192]
[1, 34, 84, 128]
[1, 34, 104, 16]
[1, 66, 244, 40]
[1, 98, 172, 16]
[1, 106, 60, 128]
[1, 106, 76, 16]
[1, 106, 236, 240]
[1, 114, 116, 72]
[1, 130, 88, 32]
[1, 134, 72, 176]
[1, 134, 104, 80]
[1, 162, 4, 248]
[1, 170, 44, 112]
[1, 170, 76, 208]
[1, 194, 20, 88]
[1, 210, 68, 88]
[1, 210, 148, 200]
[1, 214, 136, 160]
[1, 226, 104, 144]
[1, 226, 148, 56]
[1, 228, 168, 240]
[1, 242, 84, 136]
[2, 4, 8, 112]
[2, 4, 88, 128]
[2, 4, 168, 112]
[2, 8, 16, 224]
[2, 36, 104, 80]
[3, 44, 176, 192]
[5, 106, 16, 128]
[9, 18, 20, 160]
[9, 66, 44, 176]
[9, 74, 212, 96]
[9, 82, 204, 32]
[9, 170, 140, 64]
[10, 68, 80, 96]
[13, 10, 144, 64]
[13, 70, 208, 160]
[13, 202, 16, 160]
[17, 18, 20, 136]
[17, 18, 164, 40]
[17, 24, 64, 128]
[17, 34, 4, 104]
[17, 50, 20, 152]
[17, 66, 4, 200]
[17, 82, 200, 160]
[17, 130, 148, 24]
[17, 130, 228, 56]
[17, 146, 20, 136]
[17, 146, 132, 152]
[17, 218, 20, 96]
[17, 242, 228, 104]
[18, 116, 104, 128]
[19, 36, 104, 128]
[21, 146, 136, 160]
[21, 150, 24, 96]
[25, 68, 32, 128]
[33, 18, 100, 184]
[33, 34, 132, 112]
[33, 34, 168, 192]
[33, 34, 196, 184]
[33, 66, 28, 128]
[33, 98, 36, 48]
[33, 98, 36, 176]
[33, 130, 36, 40]
[33, 136, 16, 64]
[33, 148, 168, 192]
[33, 170, 108, 48]
[33, 178, 52, 232]
[33, 210, 100, 200]
[34, 164, 72, 208]
[35, 132, 144, 192]
[37, 38, 40, 80]
[37, 86, 72, 128]
[41, 10, 36, 144]
[41, 34, 28, 64]
[41, 74, 108, 144]
[41, 98, 28, 128]
[41, 234, 12, 208]
[49, 2, 132, 200]
[49, 6, 40, 64]
[49, 18, 4, 104]
[49, 34, 4, 184]
[49, 34, 100, 40]
[49, 82, 4, 248]
[49, 114, 36, 152]
[49, 114, 116, 216]
[49, 130, 36, 72]
[49, 130, 116, 200]
[53, 146, 24, 192]
[57, 98, 108, 128]
[57, 186, 28, 64]
[65, 4, 16, 128]
[65, 10, 108, 112]
[65, 34, 104, 112]
[65, 82, 132, 168]
[65, 82, 212, 216]
[65, 82, 228, 104]
[65, 130, 8, 32]
[65, 130, 24, 160]
[65, 130, 180, 56]
[65, 130, 212, 72]
[65, 146, 212, 248]
[65, 162, 100, 16]
[65, 170, 108, 176]
[65, 194, 36, 216]
[65, 194, 52, 8]
[65, 194, 196, 168]
[65, 202, 92, 160]
[66, 68, 8, 128]
[66, 68, 72, 224]
[66, 140, 16, 160]
[67, 4, 8, 208]
[67, 4, 56, 128]
[67, 36, 136, 208]
[67, 68, 136, 224]
[67, 136, 16, 32]
[67, 196, 40, 48]
[69, 74, 16, 224]
[69, 142, 80, 96]
[69, 210, 136, 96]
[73, 66, 204, 144]
[73, 74, 84, 32]
[73, 76, 208, 224]
[73, 162, 44, 176]
[73, 202, 196, 96]
[73, 226, 76, 176]
[81, 34, 108, 128]
[81, 90, 28, 96]
[81, 98, 244, 136]
[81, 130, 164, 88]
[81, 146, 200, 224]
[81, 210, 180, 120]
[82, 116, 8, 128]
[85, 194, 216, 224]
[85, 198, 8, 224]
[89, 42, 124, 128]
[89, 74, 12, 32]
[97, 2, 100, 80]
[97, 34, 4, 248]
[97, 34, 12, 208]
[97, 34, 20, 248]
[97, 36, 232, 176]
[97, 42, 196, 144]
[97, 50, 68, 168]
[97, 50, 228, 168]
[97, 66, 44, 80]
[97, 66, 52, 24]
[97, 100, 200, 240]
[97, 106, 204, 240]
[97, 130, 132, 136]
[97, 130, 168, 80]
[97, 194, 84, 104]
[97, 194, 148, 136]
[97, 194, 200, 144]
[97, 226, 132, 144]
[97, 228, 136, 16]
[98, 164, 72, 208]
[98, 228, 8, 112]
[101, 134, 232, 16]
[105, 12, 48, 128]
[105, 74, 196, 176]
[105, 162, 196, 240]
[113, 18, 196, 232]
[113, 34, 116, 232]
[113, 66, 212, 120]
[113, 82, 180, 72]
[113, 114, 116, 232]
[113, 130, 4, 136]
[113, 130, 180, 248]
[113, 194, 84, 248]
[113, 226, 212, 232]
[113, 242, 244, 200]
[115, 36, 72, 128]
[129, 10, 4, 16]
[129, 34, 68, 40]
[129, 66, 180, 216]
[129, 82, 116, 88]
[129, 98, 36, 168]
[129, 98, 40, 16]
[129, 98, 44, 208]
[129, 100, 168, 80]
[129, 114, 52, 152]
[129, 114, 52, 200]
[129, 114, 100, 8]
[129, 114, 116, 232]
[129, 130, 8, 64]
[129, 130, 52, 184]
[129, 162, 132, 88]
[129, 194, 84, 184]
[129, 194, 204, 208]
[129, 210, 164, 56]
[129, 210, 216, 32]
[129, 226, 40, 144]
[129, 226, 228, 40]
[129, 242, 244, 168]
[130, 4, 40, 192]
[130, 12, 16, 32]
[130, 20, 8, 96]
[130, 164, 200, 80]
[131, 4, 136, 240]
[131, 132, 72, 32]
[133, 34, 72, 240]
[133, 166, 40, 176]
[133, 166, 200, 208]
[133, 202, 16, 96]
[137, 2, 20, 224]
[137, 76, 16, 160]
[137, 82, 68, 160]
[137, 90, 204, 32]
[137, 106, 44, 176]
[137, 130, 196, 96]
[137, 138, 108, 208]
[137, 154, 76, 160]
[137, 158, 32, 192]
[137, 170, 100, 80]
[137, 172, 176, 192]
[137, 194, 236, 176]
[138, 132, 176, 64]
[138, 156, 160, 192]
[141, 14, 48, 64]
[145, 2, 20, 184]
[145, 2, 92, 32]
[145, 34, 60, 64]
[145, 66, 132, 152]
[145, 82, 164, 136]
[145, 98, 36, 88]
[145, 114, 132, 72]
[145, 114, 164, 152]
[145, 130, 52, 232]
[145, 138, 20, 64]
[145, 146, 92, 32]
[145, 154, 196, 160]
[145, 178, 68, 248]
[145, 226, 164, 232]
[147, 68, 72, 32]
[147, 132, 88, 224]
[149, 86, 152, 224]
[149, 214, 200, 32]
[153, 82, 68, 96]
[153, 130, 4, 224]
[153, 146, 132, 160]
[161, 26, 52, 64]
[161, 34, 84, 168]
[161, 34, 108, 240]
[161, 34, 196, 112]
[161, 42, 68, 240]
[161, 66, 68, 80]
[161, 74, 36, 16]
[161, 74, 76, 208]
[161, 82, 4, 120]
[161, 98, 228, 16]
[161, 114, 228, 168]
[161, 138, 228, 16]
[161, 146, 164, 136]
[161, 162, 20, 200]
[161, 170, 176, 192]
[161, 178, 44, 192]
[161, 226, 196, 40]
[161, 234, 172, 112]
[161, 242, 52, 104]
[162, 40, 48, 64]
[163, 132, 200, 16]
[163, 228, 168, 176]
[163, 228, 232, 48]
[165, 146, 152, 192]
[169, 10, 12, 112]
[169, 34, 100, 144]
[169, 98, 164, 240]
[169, 130, 236, 176]
[169, 170, 44, 176]
[173, 138, 176, 64]
[177, 2, 84, 248]
[177, 34, 244, 248]
[177, 42, 164, 64]
[177, 66, 52, 120]
[177, 66, 84, 136]
[177, 114, 116, 72]
[177, 150, 56, 192]
[177, 162, 20, 8]
[177, 194, 148, 184]
[177, 210, 100, 248]
[177, 210, 116, 72]
[177, 226, 52, 40]
[177, 226, 84, 120]
[185, 178, 44, 64]
[193, 2, 8, 160]
[193, 10, 228, 48]
[193, 34, 204, 208]
[193, 68, 232, 112]
[193, 98, 4, 40]
[193, 178, 4, 8]
[193, 178, 20, 168]
[193, 194, 20, 232]
[193, 196, 136, 240]
[193, 226, 72, 48]
[193, 226, 84, 40]
[193, 226, 108, 176]
[194, 36, 232, 112]
[194, 68, 136, 112]
[197, 102, 168, 144]
[197, 130, 80, 96]
[197, 150, 8, 32]
[197, 194, 200, 208]
[197, 206, 144, 160]
[197, 214, 152, 224]
[198, 8, 16, 160]
[201, 82, 28, 32]
[201, 162, 100, 176]
[209, 26, 212, 96]
[209, 50, 164, 216]
[209, 66, 84, 216]
[209, 114, 116, 216]
[209, 130, 84, 8]
[209, 146, 52, 248]
[209, 148, 8, 96]
[209, 154, 68, 224]
[209, 178, 36, 152]
[209, 178, 68, 136]
[209, 212, 8, 96]
[209, 242, 164, 24]
[217, 26, 68, 224]
[217, 194, 68, 96]
[217, 210, 204, 160]
[225, 10, 12, 48]
[225, 38, 136, 112]
[225, 98, 164, 48]
[225, 170, 132, 144]
[225, 170, 204, 112]
[225, 210, 100, 40]
[225, 230, 136, 144]
[226, 36, 232, 144]
[227, 36, 136, 80]
[227, 132, 168, 144]
[229, 6, 72, 144]
[233, 130, 4, 16]
[233, 226, 12, 144]
[233, 226, 68, 80]
[241, 2, 180, 40]
[241, 50, 84, 136]
[241, 50, 244, 216]
[241, 66, 132, 136]
[241, 82, 148, 136]
[241, 114, 164, 104]
[241, 162, 4, 248]
[241, 242, 180, 56]

Table 2: 2-$(8, 4, 217; 2)$ design $\mathcal{B}_2$

[1, 2, 80, 32]
[1, 2, 140, 160]
[1, 4, 232, 240]
[1, 6, 104, 48]
[1, 6, 136, 144]
[1, 10, 204, 112]
[1, 42, 112, 128]
[1, 42, 164, 240]
[1, 66, 100, 176]
[1, 66, 244, 8]
[1, 82, 148, 200]
[1, 90, 12, 128]
[1, 98, 40, 128]
[1, 132, 40, 48]
[1, 134, 104, 240]
[1, 146, 20, 224]
[1, 146, 196, 168]
[1, 162, 100, 48]
[1, 170, 172, 240]
[1, 182, 56, 64]
[1, 194, 40, 176]
[1, 194, 76, 240]
[1, 196, 136, 176]
[1, 202, 196, 224]
[1, 210, 132, 24]
[1, 210, 196, 24]
[1, 226, 164, 232]
[1, 230, 232, 80]
[2, 4, 184, 64]
[2, 84, 88, 160]
[3, 68, 8, 224]
[3, 68, 232, 144]
[3, 132, 168, 176]
[3, 136, 32, 64]
[3, 204, 144, 160]
[5, 22, 72, 160]
[5, 48, 64, 128]
[5, 72, 208, 224]
[9, 10, 76, 32]
[9, 18, 4, 32]
[9, 42, 4, 16]
[9, 66, 220, 96]
[9, 90, 28, 32]
[9, 90, 36, 128]
[9, 130, 36, 16]
[9, 130, 148, 64]
[9, 206, 80, 32]
[9, 218, 12, 96]
[10, 156, 32, 64]
[11, 68, 80, 160]
[13, 42, 144, 64]
[13, 142, 16, 64]
[17, 2, 84, 24]
[17, 2, 132, 72]
[17, 34, 4, 168]
[17, 34, 84, 56]
[17, 66, 132, 160]
[17, 98, 52, 200]
[17, 130, 156, 224]
[17, 134, 184, 192]
[17, 226, 164, 104]
[17, 242, 68, 248]
[18, 4, 24, 96]
[18, 148, 72, 96]
[19, 84, 136, 224]
[21, 134, 56, 64]
[23, 72, 32, 128]
[25, 58, 124, 128]
[25, 66, 148, 32]
[25, 90, 20, 128]
[25, 90, 92, 160]
[25, 154, 148, 96]
[25, 194, 20, 224]
[25, 210, 196, 224]
[29, 74, 32, 128]
[33, 6, 40, 128]
[33, 6, 104, 176]
[33, 18, 20, 72]
[33, 90, 84, 128]
[33, 98, 68, 208]
[33, 130, 100, 72]
[33, 130, 148, 88]
[33, 130, 212, 88]
[33, 146, 116, 136]
[33, 162, 56, 192]
[33, 162, 180, 24]
[33, 178, 244, 200]
[33, 194, 136, 80]
[33, 210, 84, 72]
[33, 226, 4, 56]
[35, 132, 72, 112]
[35, 132, 136, 112]
[35, 164, 8, 208]
[37, 66, 88, 128]
[41, 18, 132, 192]
[41, 26, 60, 128]
[41, 42, 204, 144]
[41, 50, 164, 192]
[41, 106, 132, 112]
[41, 138, 228, 144]
[42, 36, 176, 64]
[49, 18, 148, 248]
[49, 22, 184, 64]
[49, 34, 68, 88]
[49, 50, 100, 232]
[49, 98, 164, 136]
[49, 114, 20, 216]
[49, 132, 152, 64]
[49, 146, 52, 8]
[49, 146, 148, 8]
[49, 162, 84, 24]
[49, 162, 180, 88]
[51, 132, 152, 64]
[65, 2, 4, 88]
[65, 4, 8, 144]
[65, 10, 100, 112]
[65, 10, 164, 112]
[65, 18, 244, 248]
[65, 66, 204, 16]
[65, 74, 204, 208]
[65, 82, 220, 32]
[65, 102, 136, 80]
[65, 106, 204, 16]
[65, 114, 52, 216]
[65, 130, 136, 240]
[65, 146, 196, 224]
[65, 162, 116, 168]
[65, 162, 164, 176]
[65, 170, 196, 176]
[65, 196, 152, 160]
[65, 198, 104, 80]
[66, 20, 88, 32]
[66, 212, 88, 96]
[67, 4, 208, 96]
[67, 68, 136, 96]
[67, 196, 104, 80]
[67, 228, 72, 208]
[69, 82, 24, 32]
[69, 130, 24, 32]
[73, 34, 228, 48]
[73, 66, 68, 16]
[73, 138, 36, 48]
[73, 170, 4, 208]
[73, 194, 76, 160]
[73, 218, 68, 224]
[73, 226, 68, 144]
[81, 18, 20, 56]
[81, 54, 104, 128]
[81, 74, 84, 128]
[81, 82, 132, 216]
[81, 98, 164, 200]
[81, 130, 132, 40]
[81, 178, 36, 72]
[81, 242, 180, 216]
[83, 12, 32, 128]
[85, 6, 96, 128]
[85, 66, 136, 32]
[85, 70, 216, 32]
[85, 134, 216, 224]
[89, 18, 28, 160]
[89, 202, 156, 32]
[97, 10, 60, 128]
[97, 34, 36, 184]
[97, 34, 196, 72]
[97, 50, 100, 232]
[97, 66, 100, 232]
[97, 70, 104, 16]
[97, 74, 172, 48]
[97, 130, 196, 184]
[97, 146, 132, 72]
[97, 162, 20, 24]
[97, 162, 140, 208]
[97, 166, 232, 112]
[97, 226, 148, 24]
[97, 226, 180, 88]
[97, 234, 140, 112]
[99, 84, 40, 128]
[99, 100, 56, 128]
[101, 34, 232, 16]
[101, 38, 8, 144]
[101, 134, 200, 240]
[105, 10, 28, 128]
[105, 106, 100, 48]
[105, 130, 140, 240]
[105, 226, 172, 208]
[105, 234, 68, 112]
[113, 50, 84, 168]
[113, 50, 108, 128]
[113, 50, 196, 8]
[113, 54, 104, 128]
[113, 162, 228, 248]
[113, 226, 100, 104]
[113, 242, 100, 184]
[115, 36, 8, 128]
[129, 2, 52, 192]
[129, 34, 72, 240]
[129, 38, 200, 176]
[129, 50, 100, 88]
[129, 50, 148, 184]
[129, 66, 4, 8]
[129, 66, 12, 80]
[129, 74, 156, 96]
[129, 74, 204, 224]
[129, 100, 136, 208]
[129, 130, 72, 96]
[129, 130, 212, 120]
[129, 134, 136, 240]
[129, 146, 20, 40]
[129, 162, 40, 80]
[129, 210, 88, 96]
[129, 226, 44, 144]
[130, 36, 200, 80]
[130, 76, 16, 96]
[133, 70, 200, 240]
[133, 102, 72, 48]
[133, 166, 40, 48]
[133, 194, 8, 48]
[134, 8, 80, 96]
[137, 10, 76, 96]
[137, 34, 156, 192]
[137, 106, 4, 240]
[137, 130, 156, 224]
[137, 132, 144, 224]
[137, 138, 44, 64]
[137, 154, 204, 32]
[137, 218, 148, 224]
[137, 226, 36, 48]
[141, 202, 144, 224]
[145, 2, 212, 232]
[145, 18, 4, 168]
[145, 82, 244, 88]
[145, 86, 88, 96]
[145, 98, 68, 72]
[145, 98, 116, 232]
[145, 98, 212, 184]
[145, 114, 212, 136]
[145, 130, 196, 24]
[145, 170, 12, 64]
[145, 194, 164, 120]
[145, 202, 84, 32]
[145, 226, 52, 40]
[145, 242, 196, 216]
[149, 6, 160, 192]
[149, 18, 32, 192]
[149, 194, 88, 224]
[149, 214, 200, 160]
[153, 82, 212, 224]
[153, 194, 140, 160]
[161, 2, 100, 176]
[161, 2, 164, 88]
[161, 18, 100, 248]
[161, 42, 16, 192]
[161, 50, 132, 56]
[161, 66, 40, 176]
[161, 82, 36, 8]
[161, 130, 136, 176]
[161, 130, 228, 72]
[161, 138, 76, 112]
[161, 138, 164, 144]
[161, 164, 232, 176]
[161, 194, 36, 56]
[161, 210, 148, 72]
[162, 132, 8, 48]
[162, 164, 136, 112]
[162, 180, 184, 192]
[163, 36, 48, 64]
[163, 196, 104, 80]
[165, 50, 40, 192]
[169, 130, 12, 16]
[169, 138, 156, 64]
[169, 186, 148, 64]
[169, 194, 164, 112]
[169, 202, 108, 240]
[177, 10, 148, 192]
[177, 18, 116, 8]
[177, 50, 116, 72]
[177, 82, 132, 248]
[177, 162, 52, 8]
[177, 162, 148, 88]
[177, 178, 228, 200]
[177, 194, 4, 88]
[177, 242, 148, 248]
[185, 2, 172, 192]
[185, 146, 164, 64]
[193, 2, 68, 56]
[193, 2, 104, 48]
[193, 6, 208, 96]
[193, 10, 220, 96]
[193, 74, 212, 224]
[193, 98, 132, 48]
[193, 130, 104, 176]
[193, 134, 72, 160]
[193, 146, 212, 160]
[193, 178, 100, 136]
[193, 178, 116, 200]
[193, 194, 148, 104]
[193, 202, 100, 240]
[193, 226, 12, 80]
[193, 234, 100, 240]
[194, 68, 16, 32]
[194, 164, 104, 240]
[194, 164, 136, 48]
[195, 148, 216, 224]
[197, 66, 80, 96]
[197, 70, 136, 176]
[197, 230, 232, 48]
[201, 14, 208, 160]
[201, 138, 132, 160]
[201, 202, 108, 208]
[203, 132, 144, 96]
[209, 18, 196, 184]
[209, 18, 228, 72]
[209, 34, 132, 200]
[209, 66, 148, 120]
[209, 98, 36, 216]
[209, 146, 20, 24]
[209, 150, 216, 32]
[209, 194, 4, 24]
[209, 210, 68, 136]
[209, 226, 100, 216]
[211, 68, 136, 32]
[213, 22, 136, 32]
[213, 70, 136, 160]
[217, 218, 20, 160]
[225, 2, 204, 144]
[225, 18, 100, 136]
[225, 18, 180, 232]
[225, 34, 36, 152]
[225, 36, 72, 80]
[225, 66, 100, 56]
[225, 66, 104, 144]
[225, 98, 196, 216]
[225, 130, 8, 48]
[225, 130, 36, 80]
[225, 130, 116, 200]
[225, 166, 72, 48]
[225, 194, 196, 120]
[225, 198, 232, 48]
[225, 202, 132, 112]
[225, 226, 72, 176]
[225, 242, 212, 216]
[226, 228, 104, 240]
[227, 100, 40, 176]
[229, 102, 40, 112]
[229, 102, 200, 80]
[229, 130, 168, 240]
[229, 130, 200, 208]
[233, 66, 172, 80]
[233, 130, 100, 144]
[233, 162, 12, 176]
[241, 18, 132, 88]
[241, 66, 4, 56]
[241, 82, 68, 8]
[241, 146, 148, 232]
[241, 194, 84, 24]
[241, 194, 180, 248]
[241, 226, 20, 216]

Table 3: 2-$(8, 4, 217; 2)$ design $\mathcal{B}_3$

[1, 2, 4, 96]
[1, 2, 76, 176]
[1, 2, 96, 128]
[1, 10, 32, 64]
[1, 34, 20, 136]
[1, 34, 100, 240]
[1, 66, 164, 184]
[1, 98, 212, 136]
[1, 106, 108, 144]
[1, 114, 196, 248]
[1, 130, 108, 48]
[1, 136, 160, 192]
[1, 138, 68, 144]
[1, 138, 140, 240]
[1, 146, 180, 72]
[1, 162, 12, 192]
[1, 162, 132, 56]
[1, 194, 20, 24]
[1, 228, 136, 16]
[1, 234, 236, 16]
[2, 8, 32, 64]
[2, 68, 40, 128]
[2, 100, 136, 240]
[2, 148, 72, 96]
[2, 228, 72, 144]
[2, 228, 136, 112]
[3, 116, 88, 128]
[5, 74, 48, 128]
[5, 162, 56, 64]
[5, 162, 104, 176]
[5, 166, 200, 240]
[9, 2, 196, 208]
[9, 6, 96, 128]
[9, 10, 12, 240]
[9, 10, 44, 48]
[9, 10, 68, 96]
[9, 18, 156, 96]
[9, 44, 16, 128]
[9, 76, 208, 96]
[9, 106, 4, 128]
[9, 202, 76, 176]
[9, 202, 80, 96]
[9, 202, 148, 224]
[11, 4, 16, 64]
[11, 12, 48, 64]
[14, 144, 160, 192]
[17, 18, 92, 160]
[17, 26, 44, 192]
[17, 42, 60, 64]
[17, 66, 148, 232]
[17, 114, 84, 128]
[17, 114, 164, 168]
[17, 132, 152, 160]
[17, 134, 72, 160]
[17, 148, 200, 224]
[17, 166, 136, 64]
[17, 178, 100, 168]
[17, 178, 188, 64]
[17, 196, 152, 224]
[17, 218, 12, 224]
[18, 8, 96, 128]
[21, 6, 136, 32]
[25, 66, 148, 96]
[25, 74, 20, 32]
[33, 2, 72, 80]
[33, 2, 76, 112]
[33, 2, 176, 64]
[33, 2, 212, 24]
[33, 10, 76, 128]
[33, 10, 76, 176]
[33, 10, 100, 128]
[33, 18, 4, 24]
[33, 100, 104, 144]
[33, 132, 8, 112]
[33, 162, 4, 216]
[33, 194, 12, 144]
[33, 210, 52, 232]
[33, 210, 84, 200]
[33, 226, 236, 112]
[33, 230, 72, 112]
[33, 230, 200, 112]
[34, 8, 144, 192]
[34, 36, 168, 48]
[34, 44, 16, 64]
[34, 132, 200, 144]
[35, 36, 184, 192]
[35, 100, 168, 48]
[37, 34, 40, 144]
[37, 70, 136, 80]
[37, 98, 40, 128]
[37, 198, 72, 176]
[41, 42, 132, 64]
[41, 50, 188, 192]
[41, 66, 4, 144]
[41, 98, 84, 128]
[41, 106, 108, 16]
[41, 106, 172, 240]
[41, 194, 196, 208]
[49, 18, 180, 8]
[49, 26, 4, 128]
[49, 82, 116, 232]
[49, 114, 180, 88]
[49, 178, 212, 88]
[49, 226, 164, 168]
[49, 226, 164, 232]
[49, 242, 68, 120]
[50, 52, 72, 128]
[51, 4, 24, 128]
[57, 58, 28, 64]
[61, 46, 64, 128]
[65, 6, 104, 80]
[65, 10, 236, 144]
[65, 18, 156, 32]
[65, 66, 8, 48]
[65, 66, 180, 8]
[65, 68, 136, 96]
[65, 74, 172, 80]
[65, 82, 100, 8]
[65, 98, 132, 216]
[65, 98, 148, 136]
[65, 98, 164, 232]
[65, 98, 228, 120]
[65, 130, 228, 24]
[65, 130, 244, 72]
[65, 134, 144, 224]
[65, 146, 68, 40]
[65, 146, 196, 56]
[65, 154, 212, 32]
[65, 166, 104, 80]
[65, 178, 116, 216]
[65, 202, 12, 176]
[65, 226, 148, 200]
[65, 234, 68, 112]
[67, 36, 72, 128]
[67, 68, 72, 208]
[67, 76, 16, 32]
[67, 132, 8, 208]
[67, 228, 136, 16]
[69, 2, 88, 128]
[69, 14, 208, 224]
[69, 38, 232, 48]
[69, 82, 88, 32]
[69, 102, 232, 48]
[69, 146, 152, 96]
[69, 162, 136, 80]
[69, 214, 72, 96]
[73, 2, 4, 80]
[73, 2, 16, 224]
[73, 10, 12, 160]
[73, 42, 172, 16]
[73, 44, 112, 128]
[73, 74, 16, 128]
[73, 74, 148, 224]
[73, 106, 44, 208]
[73, 122, 100, 128]
[73, 202, 220, 160]
[73, 234, 236, 48]
[81, 38, 56, 128]
[81, 82, 148, 136]
[81, 90, 140, 96]
[81, 98, 52, 200]
[81, 210, 116, 248]
[81, 210, 244, 8]
[81, 226, 244, 104]
[82, 72, 32, 128]
[82, 116, 40, 128]
[85, 150, 88, 32]
[89, 10, 204, 32]
[89, 82, 84, 32]
[89, 106, 52, 128]
[89, 202, 4, 32]
[89, 202, 220, 224]
[91, 12, 96, 128]
[97, 34, 164, 168]
[97, 66, 12, 144]
[97, 66, 80, 128]
[97, 66, 100, 184]
[97, 66, 104, 80]
[97, 74, 228, 112]
[97, 106, 140, 80]
[97, 162, 100, 80]
[97, 194, 236, 16]
[97, 226, 100, 240]
[97, 226, 136, 80]
[97, 228, 40, 240]
[97, 228, 200, 48]
[98, 4, 104, 112]
[98, 4, 136, 144]
[98, 4, 168, 144]
[98, 164, 104, 176]
[98, 196, 8, 80]
[99, 132, 232, 240]
[101, 106, 16, 128]
[105, 42, 204, 176]
[105, 170, 4, 176]
[105, 194, 76, 176]
[113, 38, 40, 128]
[113, 50, 196, 136]
[113, 82, 84, 72]
[113, 178, 132, 120]
[113, 178, 228, 120]
[113, 210, 116, 152]
[129, 2, 4, 248]
[129, 6, 216, 32]
[129, 10, 12, 192]
[129, 18, 132, 104]
[129, 38, 16, 192]
[129, 38, 176, 192]
[129, 66, 68, 200]
[129, 82, 20, 40]
[129, 82, 132, 160]
[129, 98, 68, 168]
[129, 130, 92, 160]
[129, 130, 116, 40]
[129, 146, 20, 104]
[129, 146, 52, 152]
[129, 146, 84, 72]
[129, 162, 196, 176]
[129, 164, 48, 64]
[129, 178, 116, 152]
[129, 194, 232, 80]
[129, 212, 88, 96]
[129, 218, 4, 32]
[129, 218, 92, 32]
[129, 242, 4, 72]
[130, 100, 136, 48]
[130, 132, 200, 176]
[131, 36, 200, 80]
[133, 6, 176, 64]
[133, 50, 56, 192]
[133, 134, 48, 64]
[133, 134, 232, 144]
[133, 194, 200, 144]
[133, 206, 208, 96]
[137, 2, 204, 96]
[137, 2, 236, 176]
[137, 18, 156, 96]
[137, 34, 36, 16]
[137, 42, 4, 208]
[137, 162, 236, 144]
[137, 194, 68, 48]
[137, 194, 140, 224]
[137, 202, 4, 224]
[137, 226, 164, 240]
[141, 202, 208, 96]
[145, 26, 84, 96]
[145, 50, 196, 184]
[145, 52, 168, 192]
[145, 114, 36, 72]
[145, 146, 76, 96]
[145, 146, 180, 64]
[145, 162, 116, 8]
[145, 178, 36, 40]
[145, 178, 52, 192]
[145, 226, 244, 168]
[145, 242, 212, 168]
[153, 42, 60, 192]
[161, 2, 136, 240]
[161, 34, 40, 80]
[161, 34, 136, 176]
[161, 36, 200, 16]
[161, 54, 8, 64]
[161, 66, 100, 216]
[161, 74, 108, 240]
[161, 98, 148, 248]
[161, 100, 72, 16]
[161, 178, 148, 8]
[161, 194, 180, 232]
[162, 36, 72, 80]
[162, 44, 48, 192]
[163, 100, 104, 176]
[163, 132, 104, 112]
[169, 34, 140, 208]
[169, 34, 164, 208]
[169, 106, 228, 48]
[169, 154, 180, 64]
[169, 186, 52, 64]
[169, 194, 140, 208]
[177, 6, 56, 64]
[177, 18, 132, 136]
[177, 34, 52, 192]
[177, 42, 132, 192]
[177, 66, 132, 152]
[177, 66, 228, 136]
[177, 114, 132, 8]
[177, 114, 180, 24]
[177, 134, 24, 192]
[177, 146, 196, 88]
[177, 162, 52, 136]
[177, 162, 140, 192]
[177, 194, 132, 104]
[177, 226, 212, 216]
[179, 20, 8, 192]
[181, 22, 184, 192]
[181, 178, 184, 192]
[185, 138, 172, 192]
[193, 38, 72, 16]
[193, 50, 20, 88]
[193, 66, 140, 32]
[193, 68, 8, 48]
[193, 82, 200, 224]
[193, 106, 76, 144]
[193, 114, 196, 120]
[193, 114, 228, 168]
[193, 140, 208, 96]
[193, 162, 168, 16]
[193, 178, 212, 56]
[193, 194, 232, 16]
[193, 196, 136, 224]
[193, 196, 152, 96]
[193, 226, 236, 16]
[193, 226, 244, 136]
[194, 68, 104, 176]
[195, 4, 80, 32]
[197, 18, 24, 32]
[197, 66, 136, 240]
[197, 150, 24, 224]
[197, 214, 152, 32]
[197, 230, 40, 176]
[201, 2, 76, 224]
[201, 10, 4, 208]
[201, 12, 144, 32]
[201, 132, 144, 96]
[201, 138, 208, 224]
[201, 170, 140, 144]
[209, 130, 152, 32]
[209, 130, 164, 200]
[209, 148, 72, 96]
[209, 162, 244, 184]
[209, 194, 8, 96]
[209, 210, 212, 216]
[213, 134, 24, 96]
[225, 2, 136, 112]
[225, 4, 232, 176]
[225, 34, 4, 56]
[225, 34, 12, 80]
[225, 34, 12, 208]
[225, 34, 148, 40]
[225, 34, 164, 240]
[225, 36, 232, 16]
[225, 98, 180, 200]
[225, 114, 36, 72]
[225, 130, 164, 112]
[225, 138, 172, 16]
[225, 194, 4, 168]
[225, 194, 84, 40]
[225, 210, 100, 168]
[225, 226, 100, 200]
[226, 132, 72, 48]
[229, 134, 104, 48]
[233, 106, 68, 48]
[233, 106, 140, 176]
[233, 106, 164, 240]
[233, 170, 44, 176]
[241, 82, 52, 136]
[241, 98, 20, 8]
[241, 114, 116, 168]
[241, 210, 20, 104]

Table 4: Realizable large sets used in the proof of Theorem 1

i	$\mathrm{LS}_2[3](t_1, i, 5-i)$	$\mathrm{LS}_2[3](t_2, k-i, v-6-i)$	t_1+t_2+1
$i \equiv 0 \bmod 6$	$t_1 = -1$	$t_2 = 2$	2
$i \equiv 1 \bmod 6$	$t_1 = 0$	$t_2 = 1$	2
$i \equiv 2 \bmod 6$	$t_1 = 1$	$t_2 = 0$	2
$i \equiv 3, 4, 5 \bmod 6$	$t_1 = 2$	$t_2 = -1$	2

Remark 5.1. We would like to mention that the proof of Theorem 1 works for any value of q and N, provided that there exist $\mathrm{LS}_q[N](2,3,8)$ and $\mathrm{LS}_q[N](2,4,8)$. For example, the parameters $\mathrm{LS}_3[7](2,3,8)$ and $\mathrm{LS}_3[7](2,4,8)$ are admissible, but the realizability is open. If both large sets actually do exist, then we get an infinite series like in Theorem 1.

Our knowledge for the existence of $\mathrm{LS}_2[3](2,k,v)$ is shown in Table 5. A minus sign indicates that the parameters are not admissible, and a question mark that the parameters are admissible, but the realizability is open. All known realizability results are covered by Theorem 1. In these cases we display the parameter k in the table. Because of duality, only the parameter range $3 \leq k \leq v/2$ is shown. Apart from the already known $\mathrm{LS}_2[3](2,3,8)$ (and its dual $\mathrm{LS}_2[3](2,5,8)$), all these realizability results are new. The smallest open case is given by the admissible parameter set $\mathrm{LS}_2[3](2,6,20)$, which is out of reach of our current construction methods.

Acknowledgement

The authors would like to acknowledge the financial support provided by COST – *European Cooperation in Science and Technology.* The authors are members of the Action IC1104 *Random Network Coding and Designs over GF(q).*

References

[1] S. Ajoodani-Namini. Extending large sets of t-designs. *Journal of Combinatorial Theory, Series A*, 76(1):139–144, 1996.

[2] Ronald D. Baker. Partitioning the planes of $AG_{2m}(2)$ into 2-designs. *Discrete Mathematics*, 15(3):205–211, 1976.

[3] Zsolt Baranyai. On the factorization of the complete uniform hypergraph. In A. Hajnal, R. Rado, and Vera T. Sós, editors, *Infinite and finite Sets*, number 10 in Colloquia Mathematica Societatis János Bolyai, pages 91–107, Budapest and Amsterdam, 1975. Bolyai János Matematikai Társulat and North-Holland.

[4] Albrecht Beutelspacher. On parallelisms in finite projective spaces. *Geometriae Dedicata*, 3(1):35–40, 1974.

[5] Michael Braun. Designs over Finite Fields. In *ALCOMA'05 — Proceedings of the Conference on Algebraic Combinatorics and Applications, Designs and Codes, April 3-10, 2005, Thurnau, Germany*, pages 58–68. Bayreuther Mathematische Schriften 74, 2005.

[6] Michael Braun, Adalbert Kerber, and Reinhard Laue. Systematic Construction of q-Analogs of Designs. *Designs, Codes and Cryptography*, 34(1):55–70, 2005.

[7] Michael Braun, Michael Kiermaier, Axel Kohnert, and Reinhard Laue. Large sets of subspace designs. arXiv:1411.7181, 2014.

Table 5: Admissibility and realizability of $\mathrm{LS}_2[3](2,k,v)$

| | | |

[8] Michael Braun, Axel Kohnert, Patric R. J. Östergård, and Alfred Wassermann. Large sets of t-designs over finite fields. *J. Comb. Theory Ser. A*, 124:195–202, May 2014.

[9] Peter J. Cameron. Generalisation of Fisher's inequality to fields with more than one element. In *Combinatorics*, volume 13 of *London Mathematical Society Lecture Note Series*, pages 9–13. Cambridge University Press, Cambridge, 1974.

[10] Peter J. Cameron. Locally symmetric designs. *Geom. Dedicata*, 3:65–76, 1974.

[11] Yeow Meng Chee, Charles J. Colbourn, Steven C. Furino, and Donald L. Kreher. Large sets of disjoint t-designs. *Australasian J. of Combinatorics*, 2:111–119, 1990.

[12] Charles J. Colbourn and Jeffrey H. Dinitz. *Handbook of Combinatorial Designs, Second Edition (Discrete Mathematics and Its Applications)*. Chapman & Hall/CRC, 2006.

[13] Philippe Delsarte. Association Schemes and t-Designs in Regular Semilattices. *Journal of Combinatorial Theory, Series A*, 20(2):230–243, 1976.

[14] Ralph H. F. Denniston. Some packings of projective spaces. *Atti della Accademia Nazionale dei Lincei. Rendiconti. Classe di Scienze Fisiche, Matematiche e Naturali. Serie VIII*, 52:36–40, 1972.

[15] Tuvi Etzion and Alexander Vardy. Automorphisms of codes in the Grassmann scheme. arXiv:1210.5724, 2012.

[16] Tatsuro Itoh. A New Family of 2-Designs over $GF(q)$ Admitting $SL_m(q^l)$. *Geometriae Dedicata*, 69:261–286, 1998.

[17] G. B. Khosrovshahi and Tayfeh-Rezaie B. Trades and t-designs. In *Surveys in combinatorics 2009*, number 365 in London Mathematical Society Lecture Note Series, pages 91–111. Cambridge Univ. Press, 2009.

[18] Michael Kiermaier and Reinhard Laue. Derived and residual subspace designs. *Adv. Math. Commun.*, 9(1):105–115, 2015.

[19] Earl S. Kramer and Dale M. Mesner. t-designs on hypergraphs. *Discrete Math.*, 15:263–296, 1976.

[20] D. S. Krotov, I. Yu. Mogilnykh, and V. N. Potapov. To the theory of q-ary steiner and other-type trades. *Discrete Mathematics*, 339(3):1150–1157, 2016.

[21] Denis Krotov. The minimum volume of subspace trades. arXiv:1512.02592, 2015.

[22] Masashi Miyakawa, Akihiro Munemasa, and Satoshi Yoshiara. On a Class of Small 2-Designs over $GF(q)$. *Journal of Combinatorial Designs*, 3:61–77, 1995.

[23] Jumela F. Sarmiento. On point-cyclic resolutions of the 2-(63,7,15) design associated with PG(5,2). *Graphs and Combinatorics*, 18(3):621–632, 2002.

[24] Hiroshi Suzuki. 2-Designs over $GF(2^m)$. *Graphs and Combinatorics*, 6:293–296, 1990.

[25] Hiroshi Suzuki. 2-Designs over $GF(q)$. *Graphs and Combinatorics*, 8:381–389, 1992.

[26] Simon Thomas. Designs over Finite Fields. *Geometriae Dedicata*, 24:237–242, 1987.

[27] Ferenc Wettl. On parallelisms of odd dimensional finite projective spaces. *Periodica Polytechnica*, 19(1-2):111–116, 1991.